

MOSQUITO CONTROL INSPECTION CHECKLIST

Property Name:

Inspection By:

Date:

Inspection Areas	Mosquito Activity Y/N		Satisfactory Situation Y/N	Comments for Maintenance	Follow-Up Needed Y/N
Facility	Larvae	Adult			
➤ Gutters & Roofs					
➤ Water Accumulation Sites					
➤ Garbage Storage					
➤ Screens on Windows/Doors					
Adjacent Grounds					
➤ Irrigation Systems					
➤ Drainage Sites					
➤ Open Containers (include discarded tires)					
➤ Water Troughs					
➤ Equipment (dump beds & buckets)					
➤ Material Stock Piles					
➤ Restrooms					
➤ Storage Structures					
➤ Turf & Recreational Areas					
Parking Areas and Roads					
➤ Vegetation					
➤ Roads (potholes & low areas)					
➤ Information Signs					
Stagnant Water Sites	Describe on page 2				

Stagnant Water Areas: (i.e. inactive raceways, off-line settling ponds, backwaters, irrigation return, water source springs):

1.
2.
3.
4.
5.
6.
7.
8.
9.
10.

Additional Comments: (i.e. seasonal variations, abnormal storm events, flooding, dead birds)

[illegible]

Checklist Notes

Facilities:

1. Gutters & Roofs: Clean and no standing water, inspect flat roofs.
2. Water Accumulation Sites: Inspect cooling equipment, wash down areas, etc.
3. Garbage Storage Areas: Check for water accumulation, open containers etc.
4. Screens on Windows & Doors: Keep mosquito's outside.

Adjacent Grounds:

1. Irrigation Systems: Repair leaks, avoid accumulated irrigation water that stands for more than 3 days, change practice.
2. Drainages Sites: Clean drain ways, remove materials that restrict flows, etc.
3. Open Containers: Remove unwanted tires from outside, remove buckets/containers or perforate to allow drainage.
4. Water Troughs: Flush routinely at 3 day intervals, flushed water should not collect, treat as needed with mosquito dunks.
5. Equipment: To avoid water accumulation, elevate to drain. Tarp or cover unused fish tanks.
6. Material Stock Piles: Manipulate containers and materials to avoid water accumulation.
7. Restrooms: Remove tall vegetation around restrooms, check for accumulated water nearby, move nightlights away from facility when possible.
8. Storage Facilities: Check gutters, drainage, consider excluding birds if disease outbreak occurs and visitor use is high.
9. Turf & Recreational Areas: Do not over water, maintain low surrounding vegetation, repair leaky irrigation systems.

Parking Areas and Roads

1. Vegetation: Remove or maintain vegetation so it does not provide shade where practical-consider areas with high human traffic.
2. Roads: Fill potholes and low areas.
3. Information Signs: Post and maintain information as needed. Increase signage where outbreak occurs.